Continue

# Icd 10 for diabetic eye exam

Updated copyright.Measure Section: CopyrightSource of Change: Annual UpdateUpdated the rationale based upon more recent literature and evidence to support the measure.Measure Section: RationaleSource of Change: Measure LeadUpdated the clinical recommendation statement based upon more recent literature and evidence to support the measure.Measure Section: Clinical Recommendation StatementSource of Change: Measure LeadUpdated references.Measure Section: ReferenceSource of Change: Measure LeadUpdated grammar, wording, and/or formatting to improve readability and consistency.Measure Section: NumeratorSource of Change: Annual UpdateReplaced direct reference code 'Encounter with palliative care' with 'Palliative Care Diagnosis' value set in the PalliativeCare.Has Palliative Care in the Measurement Period definition to organize capture of patients receiving palliative care, per standards expert input.Measure Section: DefinitionsSource of Change: Measure LeadAdded 'day of' specificity to hospice expressions for consistency.Measure Section: DefinitionsSource of Change: Measure LeadAdded 'day of' specificity to the palliative care expressions for consistency.Measure Section: DefinitionsSource of Change: Measure LeadAdded QDM datatype 'Diagnosis' to the Hospice.'Has Hospice Services' definition referencing a new value set containing SNOMED finding codes to provide an additional approach for identifying patients receiving hospice care.Measure Section: DefinitionsSource of Change: Measure LeadUpdated the names of CQL definitions, functions, and/or aliases for clarification and to align with the CQL Style Guide.Measure Section: DefinitionsSource of Change: Standards/Technical UpdateUpdated the version number of the Hospice Library to v5.0.000.Measure Section: DefinitionsSource of Change: Annual UpdateUpdated the version number of the Palliative Care Exclusion ECQM Library to v3.0.000.Measure Section: DefinitionsSource of Change: Annual UpdateUpdated the version number of the Advanced Illness and Frailty Exclusion eCQM Library to v8.0.000.Measure Section: DefinitionsSource of Change: Annual UpdateUpdated the version number of the Advanced Illness and Frailty Exclusion eCQM Library to v8.0.000.Measure Section: FunctionsSource of Change: Annual UpdateUpdated the version number of the Hospice Library to v5.0.000.Measure Section: FunctionsSource of Change: Annual UpdateUpdated the version number of the Palliative Care Exclusion ECQM Library to v3.0.000.Measure Section: FunctionsSource of Change: Annual UpdateThe VSAC is the source of truth for the value set content, please visit the VSAC for downloads of current value sets.Value set Acute Inpatient (2.16.840.1.113883.3.464.1003.101.12.1083): Added 3 CPT codes (99236, 99234, 99235) based on review by technical experts, SMEs, and/or public feedback. Added 1 SNOMED CT code (2876009) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Advanced Illness (2.16.840.1.113883.3.464.1003.110.12.1082): Added 47 SNOMED CT codes based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Diabetes (2.16.840.1.113883.3.464.1003.103.12.1001): Deleted 54 ICD-9-CM codes based on validity of code during timing of look back period. Deleted 3 SNOMED CT codes (190369008, 237618001, 314771006) based on validity of code during timing of look back period.Measure Section: TerminologySource of Change: Measure LeadValue set (2.16.840.1.113883.3.464.1003.101.12.1010): Renamed to Emergency Department Evaluation and Management Visit based on recommended value set naming conventions.Measure Section: TerminologySource of Change: Annual UpdateValue set Frailty Diagnosis (2.16.840.1.113883.3.464.1003.113.12.1074): Added 1 ICD-10-CM code (L89.000) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Frailty Symptom (2.16.840.1.113883.3.464.1003.113.12.1075): Deleted 4 ICD-10-CM codes (R26.0, R26.1, R41.81, R53.83) based on review by technical experts, SMEs, and/or public feedback. Deleted 17 SNOMED CT codes based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Hospice Care Ambulatory (2.16.840.1.113883.3.526.3.1584): Deleted 3 SNOMED CT codes (170935008, 170936009, 305911006) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadAdded value set Hospice Diagnosis (2.16.840.1.113883.3.464.1003.1165) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Hospice Encounter (2.16.840.1.113883.3.464.1003.1003): Added 2 SNOMED CT codes (305911006, 385765002) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Outpatient (2.16.840.1.113883.3.464.1003.101.12.1087): Added 2 SNOMED CT codes (30346009, 37894004) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadReplaced direct reference code ICD-10-CM code (Z51.5) with value set Palliative Care Diagnosis (2.16.840.1.113883.3.464.1003.1167) based on change in measure requirements/measure specification.Measure Section: TerminologySource of Change: Measure LeadValue set Palliative Care Intervention (2.16.840.1.113883.3.464.1003.198.12.1135): Deleted 3 SNOMED CT codes (305686008, 305824005, 441874000) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure LeadValue set Payer (2.16.840.1.114222.4.11.3591): Added 5 SOP codes (1111, 1112, 142, 344, 141) based on review by technical experts, SMEs, and/or public feedback.Measure Section: TerminologySource of Change: Measure Lead 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt Z13.5 is a billable/specific ICD-10-CM code that can be used to indicate a diagnosis for reimbursement purposes. The 2025 edition of ICD-10-CM Z13.5 became effective on October 1, 2024. This is the American ICD-10-CM version of Z13.5 - other international versions of ICD-10 Z13.5 may differ. Type 2 ExcludesType 2 Excludes HelpA type 2 excludes note represents "not included here". A type 2 excludes note indicates that the condition excluded is not part of the condition it is excluded from but a patient may have both conditions at the same time. When a type 2 excludes note appears under a code it is acceptable to use both the code (Z13.5) and the excluded code together. encounter for general hearing examination (ICD-10-CM Diagnosis Code Z01.1Encounter for examination of ears and hearing2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Non-Billable/Non-Specific Code Z01.1-)encounter for general vision examination (ICD-10-CM Diagnosis Code Z01.02016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Non-Billable/Non-Specific Code Type 1 Excludesexamination for driving license (Z02.4)Z01.0-) The following code(s) above Z13.5 contain annotation back-referencesAnnotation Back-ReferencesIn this context, annotation back-references refer to codes that contain:Applicable To annotations, orCode Also annotations, orCode First annotations, orExcludes1 annotations, orExcludes2 annotations, orIncludes annotations, orNote annotations, orUse Additional annotations that may be applicable to Z13.5: Z00-Z99 2025 ICD-10-CM Range Z00-Z99Factors influencing health status and contact with health servicesNoteZ codes represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury or external cause classifiable to categories A00-Y89 are recorded as 'diagnoses' or 'problems'. This can arise in two main ways:(a) When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.(b) When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury. Factors influencing health status and contact with health servicesZ00-Z13 2025 ICD-10-CM Range Z00-Z13Persons encountering health services for examinationsNoteNonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.Type 1 Excludesexaminations related to pregnancy and reproduction (Z30-Z36, Z39.-) Persons encountering health services for examinationsZ13 ICD-10-CM Diagnosis Code Z132016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Non-Billable/Non-Specific Code Applicable ToScreening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.Type 1 Excludesencounter for diagnostic examination-code to sign or symptom Encounter for screening for other diseases and disorders Approximate Synonyms Eye exam, screening for eye disorder Eye examination with screening for eye disorder done Hearing loss screening done Hearing loss screening with normal findings done Screening for bacterial conjunctivitis done Screening for diabetic retinopathy Screening for diabetic retinopathy done Screening for glaucoma Screening for glaucoma done Screening for hearing loss Screening for hearing loss, normal hearing found Screening for retinopathy in premature newborn (eye disease) Screening for retinopathy in premature newborn done Present On AdmissionPOA Help"Present On Admission" is defined as present at the time the order for inpatient admission occurs — conditions that develop during an outpatient encounter, including emergency department, observation, or outpatient surgery, are considered POA. Z13.5 is considered exempt from POA reporting. ICD-10-CM Z13.5 is grouped within Diagnostic Related Group(s) (MS-DRG v42.0): 951 Other factors influencing health status Convert Z13.5 to ICD-9-CM Code History 2016 (effective 10/1/2015): New code (first year of non-draft ICD-10-CM) 2017 (effective 10/1/2016): No change 2018 (effective 10/1/2017): No change 2019 (effective 10/1/2018): No change 2020 (effective 10/1/2019): No change 2021 (effective 10/1/2020): No change 2022 (effective 10/1/2021): No change 2023 (effective 10/1/2022): No change 2024 (effective 10/1/2023): No change 2025 (effective 10/1/2024): No change Diagnosis Index entries containing back-references to Z13.5: Screening (for) Z13.9ICD-10-CM Diagnosis Code Z13.9Encounter for screening, unspecified2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt congenital disease or disorder Z13.9ICD-10-CM Diagnosis Code Z13.9Encounter for screening, unspecified2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt cataract Z13.5 glaucoma Z13.5 ICD-10-CM Codes Adjacent To Z13.5 Z13.3 Encounter for screening examination for mental health and behavioral disorders Z13.30 ..... unspecified Z13.31 Encounter for screening for depression Z13.32 Encounter for screening for maternal depression Z13.39 Encounter for screening examination for other mental health and behavioral disorders Z13.4 Encounter for screening for certain developmental disorders in childhood Z13.40 Encounter for screening for unspecified developmental delays Z13.41 Encounter for autism screening Z13.42 Encounter for screening for global developmental delays (milestones) Z13.49 Encounter for screening for other developmental delays Z13.5 Encounter for screening for eye and ear disorders Z13.6 Encounter for screening for cardiovascular disorders Z13.7 Encounter for screening for genetic and chromosomal anomalies Z13.71 Encounter for nonprocreative screening for genetic disease carrier status Z13.79 Encounter for other screening for genetic and chromosomal anomalies Z13.8 Encounter for screening for other specified diseases and disorders Z13.81 Encounter for screening for digestive system disorders Z13.810 Encounter for screening for upper gastrointestinal disorder Z13.811 Encounter for screening for lower gastrointestinal disorder Z13.818 Encounter for screening for other digestive system disorders Z13.82 Encounter for screening for musculoskeletal disorder Reimbursement claims with a date of service on or after October 1, 2015 require the use of ICD-10-CM codes. 2019 - New Code 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt Z13.39 is a billable/specific ICD-10-CM code that can be used to indicate a diagnosis for reimbursement purposes. Short description: Encntr screen exam for other mental hlth and behavrl disord The 2025 edition of ICD-10-CM Z13.39 became effective on October 1, 2024. This is the American ICD-10-CM version of Z13.39 - other international versions of ICD-10 Z13.39 may differ. Applicable ToEncounter for screening for alcoholismEncounter for screening for intellectual disabilities The following code(s) above Z13.39 contain annotation back-referencesAnnotation Back-ReferencesIn this context, annotation back-references refer to codes that contain:Applicable To annotations, orCode Also annotations, orCode First annotations, orExcludes1 annotations, orExcludes2 annotations, orIncludes annotations, orNote annotations, orUse Additional annotations that may be applicable to Z13.39: Z00-Z99 2025 ICD-10-CM Range Z00-Z99Factors influencing health status and contact with health servicesNoteZ codes represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury or external cause classifiable to categories A00-Y89 are recorded as 'diagnoses' or 'problems'. This can arise in two main ways:(a) When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.(b) When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury. Factors influencing health status and contact with health servicesZ00-Z13 2025 ICD-10-CM Range Z00-Z13Persons encountering health services for examinationsNoteNonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.Type 1 Excludesexaminations related to pregnancy and reproduction (Z30-Z36, Z39.-) Persons encountering health services for examinationsZ13 ICD-10-CM Diagnosis Code Z132016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Non-Billable/Non-Specific Code Applicable ToScreening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.Type 1 Excludesencounter for diagnostic examination-code to sign or symptom Encounter for screening for other diseases and disorders Present On AdmissionPOA Help"Present On Admission" is defined as present at the time the order for inpatient admission occurs — conditions that develop during an outpatient encounter, including emergency department, observation, or outpatient surgery, are considered POA. Z13.39 is considered exempt from POA reporting. ICD-10-CM Z13.39 is grouped within Diagnostic Related Group(s) (MS-DRG v42.0): 951 Other factors influencing health status Code History 2019 (effective 10/1/2018): New code 2020 (effective 10/1/2019): No change 2021 (effective 10/1/2020): No change 2022 (effective 10/1/2021): No change 2023 (effective 10/1/2022): No change 2024 (effective 10/1/2023): No change 2025 (effective 10/1/2024): No change Diagnosis Index entries containing back-references to Z13.39: Screening (for) Z13.9ICD-10-CM Diagnosis Code Z13.9Encounter for screening, unspecified2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt behavioral disorder Z13.30ICD-10-CM Diagnosis Code Z13.30Encounter for screening examination for mental health and behavioral disorders, unspecified2019 - New Code 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt disease or disorder Z13.9ICD-10-CM Diagnosis Code Z13.9Encounter for screening, unspecified2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt behavioral Z13.30ICD-10-CM Diagnosis Code Z13.30Encounter for screening examination for mental health and behavioral disorders, unspecified2019 - New Code 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt mental health and behavioral Z13.30ICD-10-CM Diagnosis Code Z13.30Encounter for screening examination for mental health and behavioral disorders, unspecified2019 - New Code 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt mental health disorder Z13.30ICD-10-CM Diagnosis Code Z13.30Encounter for screening examination for mental health and behavioral disorders, unspecified2019 - New Code 2020 2021 2022 2023 2024 2025 Billable/Specific Code POA Exempt alcoholism Z13.39 disability, intellectual Z13.39 intellectual disability Z13.39 ICD-10-CM Codes Adjacent To Z13.39 Z13.2 Encounter for screening for nutritional, metabolic and other endocrine disorders Z13.21 Encounter for screening for nutritional disorder Z13.22 Encounter for screening for metabolic disorder Z13.220 Encounter for screening for lipoid disorders Z13.228 Encounter for screening for other metabolic disorders Z13.29 Encounter for screening for other suspected endocrine disorder Z13.3 Encounter for screening examination for mental health and behavioral disorders Z13.30 ..... unspecified Z13.31 Encounter for screening for depression Z13.32 Encounter for screening for maternal depression Z13.39 Encounter for screening examination for other mental health and behavioral disorders Z13.4 Encounter for screening for certain developmental disorders in childhood Z13.40 Encounter for screening for unspecified developmental delays Z13.41 Encounter for autism screening Z13.42 Encounter for screening for global developmental delays (milestones) Z13.49 Encounter for screening for other developmental delays Z13.5 Encounter for screening for eye and ear disorders Z13.6 Encounter for screening for cardiovascular disorders Z13.7 Encounter for screening for genetic and chromosomal anomalies Z13.71 Encounter for nonprocreative screening for genetic disease carrier status Z13.79 Encounter for other screening for genetic and chromosomal anomalies Reimbursement claims with a date of service on or after October 1, 2015 require the use of ICD-10-CM codes. 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code E11.39 is a billable/specific ICD-10-CM code that can be used to indicate a diagnosis for reimbursement purposes. Short description: Type 2 diabetes w oth diabetic ophthalmic complication The 2025 edition of ICD-10-CM E11.39 became effective on October 1, 2024. This is the American ICD-10-CM version of E11.39 - other international versions of ICD-10 E11.39 may differ. Use AdditionalUse Additional HelpCertain conditions have both an underlying etiology and multiple body system manifestations due to the underlying etiology. For such conditions the ICD-10-CM has a coding convention that requires the underlying condition be sequenced first followed by the manifestation. Wherever such a combination exists there is a "use additional code" note at the etiology code, and a "code first" note at the manifestation code. These instructional notes indicate the proper sequencing order of the codes, etiology followed by manifestation. In most cases the manifestation codes will have in the code title, "in diseases classified elsewhere." Codes with this title are a component of the etiology/manifestation convention. The code title indicates that it is a manifestation code. "In diseases classified elsewhere" codes are never permitted to be used as first listed or principle diagnosis codes. They must be used in conjunction with an underlying condition code and they must be listed following the underlying condition.code to identify manifestation, such as:diabetic glaucoma (H40-H42 ICD-10-CM Range H40-H42GlaucomaH40 GlaucomaH42 Glaucoma in diseases classified elsewher...) The following code(s) above E11.39 contain annotation back-referencesAnnotation Back-ReferencesIn this context, annotation back-references refer to codes that contain:Applicable To annotations, orCode Also annotations, orCode First annotations, orExcludes1 annotations, orExcludes2 annotations, orIncludes annotations, orNote annotations, orUse Additional annotations that may be applicable to E11.39: E00-E89 2025 ICD-10-CM Range E00-E89Endocrine, nutritional and metabolic diseasesNoteAll neoplasms, whether functionally active or not, are classified in Chapter 2. Appropriate codes in this chapter (i.e. E05.8, E07.0, E16-E31, E34.-) may be used as additional codes to indicate either functional activity by neoplasms and ectopic endocrine tissue or hyperfunction and hypofunction of endocrine glands associated with neoplasms and other conditions classified elsewhere.Type 1 Excludestransitory endocrine and metabolic disorders specific to newborn (P70-P74) Endocrine, nutritional and metabolic diseasesE11 ICD-10-CM Diagnosis Code E112016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Non-Billable/Non-Specific Code Includesdiabetes (mellitus) due to insulin secretory defectdiabetes NOSinsulin resistant diabetes (mellitus)Type 1 Excludesdiabetes mellitus due to underlying condition (E08.-)drug or chemical induced diabetes mellitus (E09.-)gestational diabetes (O24.4-)neonatal diabetes mellitus (P70.2)postpancreatectomy diabetes mellitus (E13.-)postprocedural diabetes mellitus (E13.-)secondary diabetes mellitus NEC (E13.-)type 1 diabetes mellitus (E10.-)Use Additionalcode to identify control using:injectable non-insulin antidiabetic drugs (Z79.85)insulin (Z79.4)oral antidiabetic drugs (Z79.84)oral hypoglycemic drugs (Z79.84) Type 2 diabetes mellitus Approximate Synonyms Blindness due to type 2 diabetes mellitus Diabetes mellitus type 2 w/ complications Diabetes type 2 with blindness one eye Diabetes type 2 with eye complications Diabetes type 2 with retinal detachment Diabetes type 2 with retinal ischemia Diabetes type 2 with rubeosis iridis Diabetes type 2 with suspect glaucoma Diabetes type 2 with vitreous hemorrhage Diabetic oculopathy associated with type 2 diabetes mellitus Diabetic oculopathy associated with type ii diabetes mellitus Diabetic vitreous hemorrhage associated with type 2 diabetes mellitus Glaucoma due to type 2 diabetes mellitus Glaucoma suspect due to type 2 diabetes mellitus Retinal ischemia due to type 2 diabetes mellitus Rubeosis iridis due to type 2 diabetes mellitus Traction retinal detachment due to type 2 diabetes mellitus Unilateral blindness due to type 2 diabetes mellitus Vitreous hemorrhage due to type 2 diabetes mellitus ICD-10-CM E11.39 is grouped within Diagnostic Related Group(s) (MS-DRG v42.0): 008 Simultaneous pancreas and kidney transplant 010 Pancreas transplant 019 Simultaneous pancreas and kidney transplant with hemodialysis 124 Other disorders of the eye with mcc or thrombolytic agent 125 Other disorders of the eye without mcc Convert E11.39 to ICD-9-CM Code History 2016 (effective 10/1/2015): New code (first year of non-draft ICD-10-CM) 2017 (effective 10/1/2016): No change 2018 (effective 10/1/2017): No change 2019 (effective 10/1/2018): No change 2020 (effective 10/1/2019): No change 2021 (effective 10/1/2020): No change 2022 (effective 10/1/2021): No change 2023 (effective 10/1/2022): No change 2024 (effective 10/1/2023): No change 2025 (effective 10/1/2024): No change Code annotations containing back-references to E11.39: Code First: H42 ICD-10-CM Diagnosis Code H42 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code Manifestation Code Code FirstType 1 Excludesglaucoma (in) onchocerciasis (B73.02)glaucoma (in) syphilis (A52.71)glaucoma (in) tuberculous (A18.59) Diagnosis Index entries containing back-references to E11.39: Diabetes, diabetic (mellitus) (sugar) E11.9ICD-10-CM Diagnosis Code E11.9Type 2 diabetes mellitus without complications2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code Questionable As Admission Dx with ophthalmic complication NEC E11.39 type 2 E11.9ICD-10-CM Diagnosis Code E11.9Type 2 diabetes mellitus without complications2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code Questionable As Admission Dx with ophthalmic complication NEC E11.39 ICD-10-CM Codes Adjacent To E11.39 E11.3591 ..... right eye E11.3592 ..... left eye E11.3593 ..... bilateral E11.3599 ..... unspecified eye E11.36 Type 2 diabetes mellitus with diabetic cataract E11.37 Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment E11.37X1 ..... right eye E11.37X2 ..... left eye E11.37X3 ..... bilateral E11.37X9 ..... unspecified eye E11.39 Type 2 diabetes mellitus with other diabetic ophthalmic complication E11.4 Type 2 diabetes mellitus with neurological complications E11.40 Type 2 diabetes mellitus with diabetic neuropathy, unspecified E11.41 Type 2 diabetes mellitus with diabetic mononeuropathy E11.42 Type 2 diabetes mellitus with diabetic polyneuropathy E11.43 Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy E11.44 Type 2 diabetes mellitus with diabetic amyotrophy E11.49 Type 2 diabetes mellitus with other diabetic neurological complication E11.5 Type 2 diabetes mellitus with circulatory complications E11.51 Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene E11.52 Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene Reimbursement claims with a date of service on or after October 1, 2015 require the use of ICD-10-CM codes.